



## SOLVENTE 820 T

SOLVENT OBTAINED THROUGH THE DISTILLATION OF TURPENTINE.

**SOLVENTE 820 T** IT IS MAINLY USED IN THE CHEMICAL INDUSTRY, USED AS AN INDUSTRIAL DEGREASER, MANUFACTURING OF NATURAL SOLVENTS FROM RENEWABLE SOURCES AND AS A SOURCE OF TERPENES.

### PROPERTIES

Analysis	UN	Specification	Typical Values	Method
ACID NUMBER	mg KOH/g	Max. 0.5	0.08	ML SCDV 003
WATER CONTENT	%	Max. 0.5	0.07	ML SCDV 025
DENSITY (20°C)	g/ml	0.830- 0.870	0.854	ML SCDV 013
REFRACTIVE INDEX (20°C)	-	1.460- 1.490	1.480	ML SCDV 014
APHA COLOR	-	Max. 500	30	ML SCDV 015

### PACKAGING

TYPE	SIZE	SHELF LIFE
STEEL DRUMS	170 kg	12 months
ISOTANKS (IN BULK)	-	12 months

### DISCLAIMER

To prevent accidents and environmental impacts, please check the product SDS. We request our customers to test our products before using them on industrial scale. The user of our products bears the responsibility of determining their suitability for a particular application or formulation or determining that the products or their use does not infringe any intellectual property. We do not assume any responsibility or warranty, expressed or implied, resulting from handling, usage and storage whether performed according to the instructions contained in this document, whether used alone or in combination with other products. The buyer assumes all responsibility and liability for loss or damage arising from the handling and use of our products, either alone or in combination with other products

